

Elevate your guest room experience with **FridgeKool** - a blend of luxury and practicality. With nine elegant styles, **FridgeKool** seamlessly enhances any hotel room with its sophisticated design.

fridgekool.com





F R I D G E K O O L

Elevate your guest room experience with Fridgekool, where luxury meets practicality. Available in nine elegant styles, this mini fridge enhances any hotel room with its sophisticated design. Its silent, vibration-free operation ensures uninterrupted rest while providing consistent, and reliable cooling. Fridgekool is an essential amenity that turns any stay into a refined and memorable experience.

Choose Fridgekool and let every stay be exceptional.

Key Features

- 20% + energy saving with 'Brisk Walk' technology (temperature fluctuates for energy-saving)
- Adaptable to 89.6°F ambient temperature
- Reversible door
- Auto defrost
- Zero noise operation
- Plastic shelves
- Infrared light switch



FK30CE 1.02 Cu. Ft.



- 20% + energy saving with 'Brisk Walk' technology (temperature fluctuates for energy-saving)
- Adaptable to 89.6°F ambient temperature
- Reversible door
- Auto defrost
- Zero noise operation
- Plastic shelves
- Infrared light switch
- Door type: Solid
- Frequency: 50/60(Hz)
- Input power: 65W
- Temperature range (from>to): 32°-50°F
- Energy consumption (EN 153) / 24 hours: 0.7 kWh
- Net capacity : 1.02 Cubic Feet
- 15.82"W x 16.92" D x 19.68" H



FK30CTE 1.02 Cu. Ft.



- 20% + energy saving with 'Brisk Walk' technology (temperature fluctuates for energy-saving)
- Adaptable to 89.6°F ambient temperature
- Reversible door
- Auto defrost
- Zero noise operation
- Plastic shelves
- Infrared light switch
- Door type: Glass
- Frequency: 50/60(Hz)
- Input power: 65W
- Temperature range (from>to): 32°-50°F
- Energy consumption (EN 153) / 24 hours: 0.7 kWh
- Net capacity : 1.02 Cubic Feet
- 15.82"W x 16.92" D x 19.68" H



FK40CE 1.27 Cu. Ft.



- 20% + energy saving with 'Brisk Walk' technology (temperature fluctuates for energy-saving)
- Adaptable to 89.6°F ambient temperature
- Reversible door
- Auto defrost
- Zero noise operation
- Plastic shelves
- Infrared light switch
- Door type: Solid
- Frequency: 50/60(Hz)
- Input power: 65W
- Temperature range (from>to): 32°-50°F
- Energy consumption (EN 153) / 24 hours: 0.7 kWh
- Net capacity : 1.27 Cubic Feet
- 15.82"W x 18.23" D x 22.04" H



FK40CTE 1.27 Cu. Ft.



- 20% + energy saving with 'Brisk Walk' technology (temperature fluctuates for energy-saving)
- Adaptable to 89.6°F ambient temperature
- Reversible door
- Auto defrost
- Zero noise operation
- Plastic shelves
- Infrared light switch
- Door type: Glass
- Frequency: 50/60(Hz)
- Input power: 65W
- Temperature range (from>to): 32°-50°F
- Energy consumption (EN 153) / 24 hours: 0.7 kWh
- Net capacity : 1.27 Cubic Feet
- 15.82"W x 18.23" D x 22.04" H



FK50CE

1.59 Cu. Ft.



- 20% + energy saving with 'Brisk Walk' technology (temperature fluctuates for energy-saving)
- Adaptable to 89.6°F ambient temperature
- Reversible door
- Auto defrost
- Zero noise operation
- Plastic shelves
- Infrared light switch
- Door type: Solid
- Frequency: 50/60(Hz)
- Input power: 65W
- Temperature range (from>to): 32°-50°F
- Energy consumption (EN 153) / 24 hours: 0.7 kWh
- Net capacity : 1.59 Cubic Feet
- 15.82"W x 18.03" D x 26.37" H



FK50CTE

1.59 Cu. Ft.



- 20% + energy saving with 'Brisk Walk' technology (temperature fluctuates for energy-saving)
- Adaptable to 89.6°F ambient temperature
- Reversible door
- Auto defrost
- Zero noise operation
- Plastic shelves
- Infrared light switch
- Door type: Glass
- Frequency: 50/60(Hz)
- Input power: 65W
- Temperature range (from>to): 32°-50°F
- Energy consumption (EN 153) / 24 hours: 0.7 kWh
- Net capacity : 1.59 Cubic Feet
- 15.82"W x 18.03" D x 26.37" H



FK60CE 1.87 Cu. Ft.



- 20% + energy saving with 'Brisk Walk' technology (temperature fluctuates for energy-saving)
- Adaptable to 89.6°F ambient temperature
- Reversible door
- Auto defrost
- Zero noise operation
- Plastic shelves
- Infrared light switch
- Door type: Solid
- Frequency: 50/60(Hz)
- Input power: 65W
- Temperature range (from>to): 32°-50°F
- Energy consumption (EN 153) / 24 hours: 0.7 kWh
- Net capacity : 1.87 Cubic Feet
- 18.1"W x 18.9" D x 23.8" H



FK60CTE 1.87 Cu. Ft.




- 20% + energy saving with 'Brisk Walk' technology (temperature fluctuates for energy-saving)
- Adaptable to 89.6°F ambient temperature
- Reversible door
- Auto defrost
- Zero noise operation
- Plastic shelves
- Infrared light switch
- Door type: Glass
- Frequency: 50/60(Hz)
- Input power: 65W
- Temperature range (from>to): 32°-50°F
- Energy consumption (EN 153) / 24 hours: 0.7 kWh
- Net capacity : 1.87 Cubic Feet
- 18.1"W x 18.9" D x 23.8" H



FK50D 1.59 Cu. Ft.



- 20% + energy saving with 'Brisk Walk' technology (temperature fluctuates for energy-saving)
- Adaptable to 89.6°F ambient temperature
- Reversible door
- Auto defrost
- Zero noise operation
- Plastic shelves
- Infrared light switch
- Door type: Solid
- Frequency: 50/60(Hz)
- Input power: 65W
- Temperature range (from>to): 32°-50°F
- Energy consumption (EN 153) / 24 hours: 0.7 kWh
- Net capacity : 1.59 Cubic Feet
- 15.82"W x 18.03" D x 26.37" H



Questions? Contact Us Today!

Mormax is committed to keeping up with the latest trends to provide a variety of quality products for your business to help you create an inspiring and unique atmosphere.

Contact the skilled professionals at Mormax for the best in customer service and for highly effective purchasing solutions and branding strategy.

914-699-0101 • sales@mormax.com

exclusively by

